ure Management	Concern - Rank	ing Crite				
nd Facility Status	s: A B or C_	(see b	ottom of sheet	:)		
iace water or wen	- 10 1 Oteritian 1 On			After		
om the livestock	<100 Ft			7 (110)		
1 '						
•						
· · · · · · · · · · · · · · · · · · ·						
	·	- (400/ -	5 T - 4 - 1)			
onai water Table -	TU POTENTIAI POINT		-	\\ ftor		
the annual acceptant	240 Ft			After		
_			-			
-		_	_			
ducer information, etc. >2						
			·			
litrate Contaminati		oints (10	% of Total)			
litrate Contaminati		Points (10		After		
litrate Contaminati				After		
nation based on	on - 10 Potential F	Points	Benchmark	After		
nation based on ed hydrologically	on - 10 Potential F  0-5 ppm 5-9 ppm	Points 10	Benchmark 0	After		
nation based on	0-5 ppm 5-9 ppm 10-15 ppm	Points 10 8	Benchmark 0 0	After		
nation based on ed hydrologically	on - 10 Potential F  0-5 ppm 5-9 ppm	Points 10 8 6	Benchmark 0 0 0 0	After		
nation based on ed hydrologically	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm	Points 10 8 6 4 2	Benchmark 0 0 0 0 0 0 0			
nation based on ed hydrologically y and/or manure	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm	Points 10 8 6 4 2 Il Points Max.	Benchmark 0 0 0 0 0 0 0			
nation based on ed hydrologically y and/or manure nnure Facility/Oper	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm	Points 10 8 6 4 2 Il Points Max. Points	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
nation based on ed hydrologically y and/or manure anure Facility/Oper Adec	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm	Points 10 8 6 4 2 Il Points Max. Points 10	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
nation based on ed hydrologically y and/or manure anure Facility/Oper Adec Exists, in	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm ration - 40 Potential	Points 10 8 6 4 2 I Points Max. Points 10 5	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
nation based on ed hydrologically y and/or manure  anure Facility/Oper  Adec Exists, in Nones	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm ration - 40 Potentia	Points  10  8  6  4  2  I Points  Max.  Points  10  5  0	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
nation based on ed hydrologically y and/or manure  anure Facility/Oper  Adec Exists, in None Adec	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm ration - 40 Potentia	Points 10 8 6 4 2 Il Points Max. Points 10 5 0 10	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
nation based on ed hydrologically y and/or manure  anure Facility/Oper  Adec Exists, in Nones Adec Exists, in	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm ration - 40 Potentia	Points  10  8 6 4 2 Il Points Max. Points 10 5 0 10 5	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
nation based on ed hydrologically y and/or manure  anure Facility/Oper  Adec Exists, in None Adec Exists, in None	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm ration - 40 Potential	Points  10  8 6 4 2 Il Points Max. Points 10 5 0 10 5	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
Adec Exists, in Nones	0-5 ppm 5-9 ppm 10-15 ppm 15-20 ppm >20 ppm ration - 40 Potentia	Points  10  8 6 4 2 Il Points Max. Points 10 5 0 10 5	Benchmark  0 0 0 0 0 0 40% of Tota	1)		
	rarm No Tree Management Farm No Tree Maceman Facility Status Face Water or Well Face Water or Well Face Water or any perennial or interrigation canal, or  In the ground surface on a quifer at the from on-site investi-	race Water or Well - 10 Potential Point  Tract No Tract No CMS F  Tract N	Farm No Tract No CMS Field No's.  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Facility Status: A B or C (see by the face Water or Well - 10 Potential Points (10%)  Ind Face Water or Water	Tract No CMS Field No's Date		

New Mexico - (Deming Field Office)												
FY 2003 Livestock Manure Management Concern - Ranking Criteria Worksheet												
Applicant Farm No Tract No CMS Field No's Date												
Triball and N	Jon Tribal I	and Er	acility Status	ο: Λ D	or C	(coo k	acttom of chao	.+\				
Tribal LandNon-Tribal Land Facility Status: A B or C (see bottom of sheet)  5. Manure Utilization [On-Site Land Application A through D -30 Potential Points (30%)] OR [Off-												
Site Land Application and Other Manure Utilization E -30 Potential Points (30%)]												
			ier Manur	9 Utilizatio	3n E -30 PC	otentiai i Max.						
See instructions on next page.						Points	Benchmark	After				
Extra High = 0 Pts High = 3 Pts Med. = 4					Med. = 4							
A. Animal Density Sta	tus/Change	<del>}</del>	Pts Lov	w = 5 Pts		5	<u> </u>	<u></u>				
<b>P</b> 51 1 51 1	T Manual Bala	1 Link	Madium	1	11/2001 2005							
B. Phosphorus Risk	Very High 0 Pts	High 2 Points	Medium 3 Points	Low 4 Points	Very Low 5 Pts	5						
(Current/Planned)	0113	2101113	J I Onito	4101113	1 13							
C. Potential for Leaching		Yes = 0 Points		No = 5	No = 5 Points							
OTT CLOTHER TO LEGGE.	"ig		) 1 Cirile		T CIIILO	5						
D. Irrigation Efficiency	,	% of Area in Contract		% of Area in Contract		Max.	Danahmark	^ stor				
(Use FIRS to evaluate)		(present condition)		(planned condition)		Points	Benchmark	After				
1-20%						0						
21-30%						2						
31-40%						4						
41-50%						6						
51-60%						8						
61-70%						10						
71-80%						12						
>80%						15						
		OR					OR	OR				
E. Off-Site Land Appli	ication and											
Other Utilization:		1	ļ	1	1							
Utilization Practice in Place		Yes = 0 Points		No = 30 Points		30						
					-		al After Points					
					minus	Total B	enchmark Pts					
					equals		ts for Ranking					
Designated Conservat	tionist		Date		•		<u></u>					
A Evipting facility pooding	improvomente	P Evpansion	o of aviating for	cility C Dovo	desmont of nou	·· facilit						
A - Existing facility needing improvements B - Expansion of existing facility C - Development of new facility												